Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
G. Attardi
S. Bernhard
J. E. Darnell
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
H. E. Huxley
A. D. Kaiser
A. Klug
O. Maaløe
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

VOLUME 47
14 January 1970 to 14 February 1970

ACADEMIC PRESS
LONDON and NEW YORK

Periodical
QH 301
J73

Copyright © 1970, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 47

NUMBER 1, 14 JANUARY 1970

RUSSELL, R. L., ABELSON, J. N., LANDY, A., GEFTER, M. L., BRENNER, S. and SMITH, J. D., Duplicate Genes for Tyrosine Transfer RNA in *Escherichia coli* 1

ABELSON, J. N., GEFTER, M. L., BARNETT, L., LANDY, A., RUSSELL, R. L. and SMITH, J. D., Mutant Tyrosine Transfer Ribonucleic Acids 15

SCRUGGS, R. L. and ROSS, P. D., A Calorimetric Study of Monomer–Polymer Complexes formed by Polyribouridylic Acid and Some Adenine Derivatives 29

GAREL, J.-R. and LABOUESSE, B., Binding Interactions between Two Ligands and a Monomeric Protein. Study on Indole, Protons and Chymotrypsin . 41

ŚWIERKOWSKI, M. and SHUGAR, D., Poly 5-Ethyluridylic Acid, a Polyuridylic Acid Analogue 57

LAEMMLI, U. K., BEGUIN, F. and GUJER-KELLENBERGER, G., A Factor Preventing the Major Head Protein of Bacteriophage T4 from Random Aggregation 69

SAMUELSON, G. and KAESBERG, P., An Artificial Top Component of R17 Bacteriophage 87

JOHNSON, L. N. and WOLFENDEN, R., Changes in Absorption Spectrum and Crystal Structure of Triose Phosphate Isomerase brought about by 2-Phosphoglycollate, a Potential Transition State Analogue 93

SMITH, B. J., Light Satellite-band DNA in Mouse Cells infected with Polyoma Virus 101

LETTERS TO THE EDITOR—

WILKIE, D., Selective Inhibition of Mitochondrial Synthesis in *Saccharomyces cerevisiae* by Canavanine 107

ENGLEMAN, D. M., X-ray Diffraction Studies of Phase Transitions in the Membrane of *Mycoplasma laidlawii* 115

ANNOUNCEMENT 119

NUMBER 2, 28 JANUARY 1970

GERMAINE, G. R. and ROGERS, P., Role of *gal* Repressor Depletion in λdg Transduction Escape Synthesis 121

CLAYTON, D. A., DAVIS, R. W. and VINOGRAD, J., Homology and Structural Relationships between the Dimeric and Monomeric Circular Forms of Mitochondrial DNA from Human Leukemic Leukocytes . . . 137

SELLS, B. H. and DAVIS, F. C., JR., Biogenesis of 50 s Particles in Exponentially Growing *Escherichia coli* 155

WEINBERG, R. A. and PENMAN, S., Processing of 45 s Nucleolar RNA . . 169

THOMAS, R. and MOUSSET, S., Passive Replication of Heteroimmune Bacteriophage in a λ-driven Replicon 179

THIRION, J.-P. and KAESBERG, P., Base Sequences of Polypurine Regions of the RNA's of Bacteriophages R17 and M12 193

ANDERSON, N. M., ANTONINI, E., BRUNORI, M. and WYMAN, J., Equilibrium of Human Hemoglobin with Ethylisocyanide: Further Evidence for Cooperativity in Hemoglobin Dimers 205

STONE, A. B., General Inhibition of *Escherichia coli* Macromolecular Synthesis by High Multiplicities of Bacteriophage φX174 215

SEKIGUCHI, M., YASUDA, S., OKUBO, S., NAKAYAMA, H., SHIMADA, K. and TAKAGI, Y., Mechanism of Repair of DNA in Bacteriophage. I. Excision of Pyrimidine Dimers from Ultraviolet-irradiated DNA by an Extract of T4-infected Cells 231

YASUDA, S. and SEKIGUCHI, M., Mechanism of Repair of DNA in Bacteriophage. II. Inability of Ultraviolet-sensitive Strains of Bacteriophage in Inducing an Enzyme Activity to excise Pyrimidine Dimers . . . 243

SCHNEIDER-BERNLOEHR, H., LOHRMANN, R., SULSTON, J., ORGEL, L. E. and MILES, H. T., Specificity of Template-directed Synthesis with Adenine Nucleosides 257

ANNOUNCEMENT 261

NUMBER 3, 14 FEBRUARY 1970

BALTIMORE, D. and HUANG, A. S., Interaction of HeLa Cell Proteins with RNA 263

HUANG, A. S. and BALTIMORE, D., Initiation of Polyribosome Formation in Poliovirus-infected HeLa Cells 275

FLOOR, E., Interaction of Morphogenetic Genes of Bacteriophage T4 . . 293

VOGT, M., Induction of Virus Multiplication in 3T3 Cells transformed by a Thermosensitive Mutant of Polyoma Virus. I. Isolation and Characterization of Ts-a-3T3 Cells 307

CUZIN, F., VOGT, M., DIECKMANN, M. and BERG, P., Induction of Virus Multiplication in 3T3 Cells transformed by a Thermosensitive Mutant of Polyoma Virus. II. Formation of Oligomeric Polyoma DNA Molecules . 317

VESCO, C. and COLOMBO, B., Effect of Sodium Fluoride on Protein Synthesis in HeLa Cells : Inhibition of Ribosome Dissociation 335

STEPHENS, R. E., Thermal Fractionation of Outer Fiber Doublet Microtubules into A- and B-Subfiber Components: A- and B-Tubulin. 353

BERNSTEIN, R. L., SELLIN, H. G. and SRINIVASAN, P. R., Control of Bacteriophage Development in *Escherichia coli* RC^{rel}: Events following Infection of K12 Relaxed Strains with T2 and T3 365

MATSUURA, S., TASHIRO, Y., OSAWA, S. and OTAKA, E., Electron Microscopic Studies on the Biosynthesis of the 50 s Ribosomal Subunit in *Escherichia coli* 383

GOPINATHAN, K. P. and GAREN, A., A Leucyl-transfer RNA specified by the Amber Suppressor Gene $Su6^+$ 393

YOSHIKAWA, H., Initiation of DNA Replication in *Bacillus subtilis*. II. Linkage between Termini of Parental Strands and Origins of Daughter Strands . 403

BAUER, W. and VINOGRAD, J., Interaction of Closed Circular DNA with Intercalative Dyes. II. The Free Energy of Superhelix Formation in SV40 DNA 419

STRAUSS, J. H., JR., BURGE, B. W. and DARNELL, J. E., Carbohydrate Content of the Membrane Protein of Sindbis Virus 437

BURGE, B. W. and STRAUSS, J. H., JR., Glycopeptides of the Membrane Glycoprotein of Sindbis Virus 449

TIBONI, O., PARISI, B., PERANI, A. and CIFERRI, O., Presence of Two Sets of Ribosome-specific Transfer Factors in the Cell-free Extracts from the Non-photosynthetic Alga *Prototheca zopfii* 467

JACQUEMIN-SABLON, A. and RICHARDSON, C. C., Analysis of the Interruptions in Bacteriophage T5 DNA 477

GORDON, C. N., RUSH, M. G. and WARNER, R. C., Complex Replicative Form Molecules of Bacteriophages ϕX174 and S13 *su*105. 495

PRESTAYKO, A. W., TONATO, M. and BUSCH, H., Low Molecular Weight RNA associated with 28 s Nucleolar RNA 505

STRIGINI, P. and GORINI, L., Ribosomal Mutations affecting Efficiency of Amber Suppression 517

Sanchez, R. A. and Orgel, L. E., Studies in Prebiotic Synthesis. V. Synthesis and Photoanomerization of Pyrimidine Nucleosides . . . 531

Herskowitz, I. and Signer, E. R., A Site Essential for Expression of All Late Genes in Bacteriophage λ 545

Kaiser, A. D. and Masuda, T., Evidence for a Prophage Excision Gene in λ 557

Guarneros, G. and Echols, H., New Mutants of Bacteriophage λ with a Specific Defect in Excision from the Host Chromosome 565

Echols, H., Integrative and Excisive Recombination by Bacteriophage λ: Evidence for an Excision-specific Recombination Protein . . . 575

Letters to the Editor—

Dove, W. F., An Energy-level Hypothesis for λ Prophage Insertion and Excision 585

Huang, W. M. and Marmur, J., The 5′-ends of the DNA of Defective Bacteriophages of *Bacillus subtilis*. 591

Shelton, E. and McIntire, K. R., Ultrastructure of the γM Immunoglobulin Molecule 595

Hattman, S., Influence of T4 Superinfection on the Formation of RNA Bacteriophage Coat Protein 599

Cohen, C., Lowey, S., Harrison, R. G., Kendrick-Jones, J. and Szent-Gyorgyi, A. G., Segments from Myosin Rods . . . 605

McGavin, S., Proline and Glycine Polymers and Related Proteins . . 611

Craig, S. P., Synthesis of RNA in Non-nucleate Fragments of Sea Urchin Eggs 615

Hoffman, E. P., Wilhelm, R. C., Konigsberg, W. and Katze, J. R., A Structural Gene for Seryl-tRNA Synthetase in *Escherichia coli* K12 . 619

Announcements 627

Index to Volume 47

Abelson, J. N., Gefter, M. L., Barnett, L., Landy, A., Russell, R. L. & Smith, J. D., Mutant tyrosine transfer ribonucleic acids, 15
— (see also Russell. R. L.), 1
Adenine derivatives and polyribouridylic acid, study of monomer–polymer complexes, 29
— nucleosides, specificity of template-directed synthesis, 257
Alga, *Prototheca zopfii*, non-photosynthetic, presence of two sets of ribosome-specific transfer factors in cell-free extracts, 467
Amber suppression efficiency affected by ribosomal mutations, 517
— suppressor gene *Su6*$^+$ specifies a leucyl-transfer RNA, 393
Analogue of poly uridylic acid: poly 5-ethyluridylic acid, 57
Anderson, N. M., Antonini, E., Brunori, M. & Wyman, J., The equilibrium of human hemoglobin with ethyl isocyanide—further evidence for co-operativity in hemoglobin dimers, 205
Antonini, E. (see also Anderson, N. M.), 205

Bacillus subtilis, linkage between termini of parental strands and origins of daughter strands during initiation of DNA replication, 403
Bacteriophage, energy-stabilization of the λ prophage, 585
—, heteroimmune, passive replication in a λ-driven replicon, 179
—, inability of ultraviolet-sensitive strains to induce enzyme activity to excise pyrimidine dimers, 243
— λ, a site essential for expression of all late genes, 545
— —, evidence for an excision-specific recombination protein, 575
— —, — — a prophage excision gene, 557
— —, new mutants with a specific defect in excision from the host chromosome, 565
—, mechanism of DNA repair, 243
— φX174, high multiplicities generally inhibit macromolecular synthesis of *Escherichia coli*, 215
— R17, artificial top component, 87
—, role of *gal* repressor depletion in a λ*dg* transduction escape synthesis, 121
— T2 and T3, control of development in *Escherichia coli* RC^{rel}, 365
— T4, factor preventing the major head protein from random aggregation, 69
— —-infected cell extract, excision of pyrimidine dimers from ultraviolet-irradiated DNA, 231
— —, influence of superinfection on the formation of RNA bacteriophage coat protein, 595
— —, interaction of morphogenetic genes, 293
— T5 DNA interruption analysis, 477
—, the 5′-ends of defective bacteriophage of *Bacillus subtilis*, 591
Bacteriophages φX174 and S13 *su*105, complex replicative form molecules, 495
— R17 and M12, base sequences of polypurine regions of their RNA's, 193
Baltimore, D. & Huang, A. S., Interaction of HeLa cell proteins with RNA, 263
— (see also Huang, A. S.), 275
Barnett, L. (see also Abelson, J. N.), 15
Bauer, W. & Vinograd, J., The interaction of closed circular DNA with intercalative dyes. II. The free energy of superhelix formation in SV40 DNA, 419
Beguin, F. (see also Laemmli, U. K.), 69
Berg, P. (see also Cuzin, F.), 317
Bernstein, R. L., Sellin, H. G. & Srinivasan, P. R., Control of bacteriophage development in *Escherichia coli* RC^{rel}: Events following infection of K12 relaxed strains with T2 and T3, 365
Biogenesis of 50 s particles in exponentially growing *Escherichia coli*, 155
Brenner, S. (see also Russell, R. L.), 1
Brunori, M. (see also Anderson, N. M.), 205
Burge, B. W. & Strauss, J. H., Glycopeptides of the membrane glycoprotein of Sindbis virus, 449
— (see also Strauss, J. H.), 437
Busch, H. (see also Prestayko, A. W.), 505

Calorimetric study of monomer–polymer complexes formed by polyribouridylic acid and some adenine derivatives, 29

Canavanine, selective inhibition of mitochondrial synthesis in *Saccharomyces cerevisiae*, 107
Carbohydrate content of the membrane protein of Sindbis virus, 437
Chymotrypsin, study on binding interactions with indole and proton, 41
Ciferri, O. (see also Tiboni, O.), 467
Clayton, D. A., Davis, R. W. & Vinograd, J., Homology and structural relationships between the dimeric and monomeric circular forms of mitochondrial DNA from human leukemic leukocytes, 137
Coat protein formation of RNA bacteriophage, influence of T4 superinfection, 599
Cohen, C., Lowey, S., Harrison, R. G., Kendrick-Jones, J. & Szent-Gyorgyi, A. G., Segments from myosin rods, 605
Colombo, B. (see also Vesco, C.), 335
Co-operativity in hemoglobin dimers, further evidence, 205
Craig, S. P., Synthesis of RNA in non-nucleate fragments of sea urchin eggs, 615
Crystal structure and absorption spectrum of triose phosphate isomerase, changes brought about by 2-phosphoglycollate, 93
Cuzin, F., Vogt, M., Dieckmann, M. & Berg, P., Induction of virus multiplication in 3T3 cells transformed by a thermosensitive mutant of polyoma virus. II. Formation of oligomeric polyoma DNA molecules, 317

Darnell, J. E. (see also Strauss, J. H.), 437
Davis, F. C. (see also Sells, B. H.), 155
Davis, R. W. (see also Clayton, D. A.), 137
Deoxyribonucleic acid, closed circular, interaction with intercalative dyes, 419
— —, formation of oligomeric polyoma DNA in 3T3 cells, 317
— — interruptions analysed in bacteriophage T5, 477
— —, light satellite-band DNA in mouse cells infected with polyoma virus, 101
— —, mechanism of repair in bacteriophage, 243
— —, mitochondrial from human leukemic leukocytes, homology between dimeric and monomeric circular forms, 137
— — replication initiation in *Bacillus subtilis*, linkage between termini of parental strands and origins of daughter strands, 403
— —, SV40, free energy of superhelix formation, 419
— —, ultraviolet-irradiated, excision of pyrimidine dimers by an extract of T4-infected cells, 231
Dieckmann, M. (see also Cuzin, F.), 317
Doublet microtubules of outer fiber, thermally fractionated into A- and B-tubulin, 353
Dove, W. F., Energy-stabilization of the λ prophage, 585

Echols, H., Integrative and excisive recombination by bacteriophage λ: evidence for an excision-specific recombination protein, 575
— (see also Guarneros, G.), 565
Electron microscopic studies on the biosynthesis of the 50 s ribosomal subunit in *Escherichia coli*, 383
Energy-stabilization of the λ prophage, 585
Engelman, D. M., X-ray diffraction studies of phase transitions in the membrane of *Mycoplasma laidlawii*. 115
Escherichia coli, biogenesis of 50 s particles in exponentially growing bacteria, 155
— — duplicate genes for tyrosine tRNA, 1
— —, electron microscopic studies on the biosynthesis of the 50 s ribosomal subunit, 383
— — K12, a structural gene for seryl-tRNA synthetase, 619
— — macromolecular synthesis generally inhibited by high multiplicities of bacteriophage φX174, 215
— — RC^{rel}, events following infection of K12 relaxed strains with bacteriophage T2 and T3, 365
Ethyl isocyanide equilibrium with human hemoglobin, 205
Excision from the host chromosome, new bacteriophage λ mutants with a specific defect, 565
— gene in bacteriophage λ, evidence for existence, 557

Floor, E., Interaction of morphogenetic genes of bacteriophage T4, 293

Garel, J.-R. & Labouesse, B., Binding interactions between two ligands and a monomeric protein. Study on indole, protons and chymotrypsin, 41
Garen, A. (see also Gopinathan, K. P.), 393

Gefter, M. L. (see also Abelson, J. N.), 15
— (see also Russell, R. L.), 1
Germaine, G. R. & Rogers, P., The role of *gal* repressor depletion in a *λdg* transduction escape synthesis, 121
Glycine and proline polymers and related proteins, 611
Glycopeptides of the membrane glycoprotein of Sindbis virus, 449
Gopinathan, K. P. & Garen, A., A leucyl-transfer RNA specified by the amber suppressor gene *Su6*$^+$, 393
Gordon, C. N., Rush, M. G. & Warner, R. C., Complex replicative form molecules of bacteriophages ϕX174 and S13 *su*105, 495
Gorini, L. (see also Strigini, P.), 517
Guarneros, G. & Echols, H., New mutants of bacteriophage λ with a specific defect in excision from the host chromosome, 565
Gujer-Kellenberger, G. (see also Laemmli, U. K.), 69

Harrison, R. G. (see also Cohen, C.), 605
Hattman, S., Influence of T4 superinfection on the formation of RNA bacteriophage coat protein, 599
HeLa cell proteins, interaction with RNA, 263
— cells, effect of sodium fluoride on protein synthesis, inhibition of ribosome dissociation, 335
— — infected with poliovirus, initiation of polyribosome formation, 275
Hemoglobin, human, equilibrium with ethyl isocyanide, further evidence for co-operativity in the dimer form, 205
Herskowitz, I. & Signer, E. R., A site essential for expression of all late genes in bacteriophage λ, 545
Heteroimmune bacteriophage, passive replication in a λ-driven replicon, 179
Hoffman, E., Wilhelm, R. C., Konigsberg, W. & J. R. Katze, A structural gene for seryl-tRNA synthetase in *Escherichia coli* K12, 619
Haung, A. S. & Baltimore, D., Initiation of polyribosome formation in poliovirus-infected HeLa cells, 275
Huang, A. S. (see also Baltimore, D.), 263
Huang, W. M. & Marmur, J., The 5′-ends of the DNA of defective bacteriophage of *Bacillus subtilis*, 591
Human hemoglobin equilibrium with ethyl isocyanide, further evidence for co-operativity in the dimer form, 205
— leukemic leukocytes, homology and structural relationship between the dimeric and monomeric circular forms of mitochondrial DNA, 137

Immunoglobulin γM, ultrastructure of the molecule, 595
Indole and proton binding interactions with chymotrypsin, 41
— — DNA replication in *Bacillus subtilis*, linkage between termini of parental strands and origin of daughter strands, 403
— — polyribosome formation in poliovirus-infected HeLa cells, 275
Integrative and excisive recombination by bacteriophage λ, evidence for an excision-specific recombination protein, 575
Intercalative dye interaction with closed circular DNA, 419

Jacquemin-Sablon, A. & Richardson, C. C., Analysis of the interruptions in bacteriophage T5 DNA, 477
Johnson, L. N. & Wolfenden, R., Changes in absorption spectrum and crystal structure of triose phosphate isomerase brought about by 2-phosphoglycollate, a potential transition state analog, 93

K12 (see *Escherichia coli*)
Kaesberg, P. (see also Samuelson, G.), 87
— (see also Thirion, J.-P.), 193
Kaiser, A. D. & Masuda, T., Evidence for a prophage excision gene in λ, 557
Katze, J. R. (see also Hoffman, E.), 619
Kendrick-Jones, J. (see also Cohen, C.), 605
Konigsberg, W. (see also Hoffman, E.), 619

λ (see Bacteriophage)
λ*dg* (see Bacteriophage)
Labouesse, B. (see also Garel, J.-R.), 41
Laemmli, U. K., Beguin, F. & Gujer-Kellenberger, G., A factor preventing the major head protein of bacteriophage T4 from random aggregation, 69
Landy, A. (see also Abelson, J. N.), 15
— (see also Russell, R. L.), 1
Leukocytes, human leukemic, homology and structural relationship between the dimeric and monomeric circular forms of mitochondrial DNA, 137
Lohrmann, R. (see also Schneider-Bernloehr, H.), 257
Lowey, S. (see also Cohen, C.), 605

γM (see Immunoglobulin)
M12 (see Bacteriophage)
McGavin, S., Proline and glycine polymers and related proteins, 611
McIntire, K. R. (see also Shelton, E.), 595
Macromolecular synthesis of *Escherichia coli* generally inhibited by high multiplicities of bacteriophage φX174, 215
Marmur, J. (see also Huang, W. M.), 591
Masuda, T. (see also Kaiser, A. D.), 557
Matsuura, S., Tashiro, Y., Osawa, S. & Otaka, E., Electron microscopic studies on the biosynthesis of the 50 s ribosomal subunit in *Escherichia coli*, 383
Miles, H. T. (see also Schneider-Bernloehr, H.), 257
Membrane glycoprotein of Sindbis virus, glycopeptides, 449
— protein of Sindbis virus, carbohydrate content, 437
Mitochondrial DNA from human leukemic leukocytes, homology and structural relationship between dimeric and monomeric circular forms, 137
— synthesis is selectively inhibited in *Saccharomyces cerevisiae* by canavanine, 107
Monomer–polymer complexes formed by polyribouridylic acid and some adenine derivatives, calorimetric study, 29
Morphogenetic gene interactions of bacteriophage T4, 293
Mouse cells infected with polyoma virus, light satellite-band DNA, 101
Mousset, S. (see also Thomas, R.), 179
Mutations of ribosome affecting efficiency of amber suppression, 517
Mycoplasma laidlawii membrane, X-ray diffraction studies of phase transitions, 115
Myosin rod segments, 605

Nakayama, H. (see also Sekiguchi, M.), 231
Nucleolar RNA, processing of 45 s, 169
— —, 28 s, associated low molecular weight RNA, 505
Nucleosides, adenine, specificity of template-directed synthesis, 257
—, pyrimidine, synthesis and photoanomerization, 531

Okubo, S. (see also Sekiguchi, M.), 231
Oligomeric polyoma DNA molecule formation in 3T3 cells, 317
Orgel, L. E. (see also Schneider-Bernloehr, H.), 257
— (see also Sanchez, R. A.), 531
Osawa, S. (see also Matsuura, S.), 383
Otaka, E. (see also Matsuura, S.), 383
Outer-fiber doublet microtubles thermally fractionated into A- and B-tubulin, A- and B-subfiber components, 353

Parisi, B. (see also Tiboni, O.), 467
Passive replication of heteroimmune bacteriophage in a λ-driven replicon, 179
Penman, S. (see also Weinberg, R. A.), 169
Perani, A. (see also Tiboni, O.), 467
2-Phosphoglycollate causes changes in absorption spectrum and crystal structure of triose phosphate isomerase, 93
Photoanomerization and synthesis of pyrimidine nucleosides, 531
Poliovirus-infected HeLa cells, initiation of ribosome formation, 275

Poly 5-ethyluridylic acid, a polyuridylic acid analogue, 57
Polymers of proline and glycine and related proteins, 611
Polyoma oligomeric DNA molecule formation in 3T3 cells, 317
— virus-infected mouse cells, light satellite-band DNA, 101
— —, thermosensitive mutant, induction of virus multiplication in 3T3 cells, 307
Polypurine region base sequences of RNA's of bacteriophages R17 and M12, 193
Polyribosome formation initiation in poliovirus-infected HeLa cells, 275
Polyribouridylic acid and adenine derivatives, calorimetric study of monomer–polymer complexes, 29
Prebiotic synthesis studies, 531
Prestayko, A. W., Tonato, M. & Busch, H., Low molecular weight RNA associated with 28 s nucleolar RNA, 505
Proline and glycine polymers and related proteins, 611
Proton and indole binding interactions with chymotrypsin, 41
Prototheca zopfii, presence of two sets of ribosome-specific transfer factors in the cell-free extracts from this non-photosynthetic alga, 467
Pyrimidine dimer excision from ultraviolet-irradiated DNA by an extract of bacteriophage T4-infected cells, 231
— dimers, inability of ultraviolet-sensitive strains of bacteriophage to induce enzyme activity to excise pyrimidine dimers, 243
— nucleosides, synthesis and photoanomerization, 531

R17 (see Bacteriophage)
Replicative form molecules, complex, of bacteriophages ϕX174 and S13 *su*105, 495
Replicon, λ-driven, passive replication of heteroimmune bacteriophage, 179
Repressor, *gal*, role of depletion in a λdg transduction escape synthesis, 121
Ribonucleic acid bacteriophage, influence of T4 superinfection on the formation of coat protein, 599
— —, interaction with HeLa cell proteins, 263
— —, low molecular weight RNA associated with 28 s nucleolar RNA, 505
— —, processing of 45 s nucleolar RNA, 169
— —, synthesis in non-nucleate fragments of sea urchin eggs, 615
— —, transfer for leucine, specified by the amber suppressor gene *Su6*$^+$, 393
— —, — — serine, a structural gene for the synthetase in *Escherichia coli* K12, 619
— —, — — tyrosine, duplicate genes in *Escherichia coli*, 1
— —, — — —, mutants, 15
— acids of bacteriophages R17 and M12, base sequences of polypurine regions, 193
Ribosomal mutations affecting efficiency of amber suppression, 517
— subunit, 50 s, electron microscopic studies in *Escherichia coli*, 383
Ribosome dissociation, inhibition by sodium fluoride in HeLa cells, 335
—, presence of two sets of ribosome-specific transfer factors in the cell-free extracts from the non-photosynthetic alga *Prototheca zopfii*, 467
Richardson, C. C. (see also Jacquemin-Sablon, A.), 477
Rogers, P. (see also Germaine, G. R.), 121
Ross, P. D. (see also Scruggs, R. L.), 29
Rush, M. G. (see also Gordon, C. N.), 495
Russell, R. L., Abelson, J. N., Landy, A., Gefter, M. L., Brenner, S. & Smith, J. D., Duplicate genes for tyrosine transfer RNA in *Escherichia coli*, 1
— (see also Abelson, J. N.), 15

S13 *su*105 (see Bacteriophage)
SV40 (see Deoxyribonucleic acid)
Saccharomyces cerevisiae mitochondrial synthesis inhibited by canavanine, 107
Samuelson, G. & Kaesberg, P., An artificial top component of R17 bacteriophage, 87
Sanchez, R. A. & Orgel, L. E., Studies in prebiotic synthesis. V. Synthesis and photoanomerization of pyrimidine nucleosides, 531
Schneider-Bernloehr, H., Lohrmann, R., Sulston, J., Orgel, L. E. & Miles, H. T., Specificity of template-directed synthesis with adenine nucleosides, 257
Scruggs, R. L. & Ross, P. D., A calorimetric study of monomer–polymer complexes formed by polyribouridylic acid and some adenine derivatives, 29
Sea urchin eggs, RNA synthesis in non-nucleate fragments, 615
Sekiguchi, M., Yasuda, S., Okubo, S., Nakayama, H., Shimada, K. & Takagi, Y., Mechanism of repair of DNA in bacteriophage. I. Excision of pyrimidine dimers from ultraviolet-irradiated DNA by an extract of T4-infected cells, 231
— (see also Yasuda, S.), 243

Sellin, H. G. (see also Bernstein, R. L.), 365
Sells, B. H. & Davis, F. C., Biogenesis of 50 s particles in exponentially growing *Escherichia coli*, 155
Seryl-tRNA synthetase, a structural gene in *Escherichia coli* K12 for, 619
Shelton, E. & McIntire, K. R., The ultrastructure of the γM immunoglobulin molecule, 525
Shimada, K. (see also Sekiguchi, M.), 231
Shugar, D. (see also Swierkowski, M.), 57
Signer, E. R. (see also Herskowitz, I.), 545
Sindbis virus, carbohydrate content of the membrane protein, 437
— —, glycopeptides of the membrane glycoprotein, 449
Smith, B. J., Light satellite-band DNA in mouse cells infected with polyoma virus, 101
Smith, J. D. (see also Abelson, J. N.), 15
— (see also Russell, R. L.), 1
Sodium fluoride, effect on protein synthesis in HeLa cells, inhibition of ribosome dissociation, 335
Srinivasan, P. R. (see also Bernstein, R. L.), 365
Stephens, R. E., Thermal fractionation of outer fiber doublet microtubules into A- and B-subfiber components: A- and B-tubulin, 353
Stone, A. B., General inhibition if *Escherichia coli* macromolecular synthesis by high multiplicities of bacteriophage φX174, 215
Strauss. J. H., Burge, B. W. & Darnell, J. E., Carbohydrate content of the membrane protein of Sindbis virus, 437
— (see also Burge, B. W.), 449
Strigini, P. & Gorini, L., Ribosomal mutations affecting efficiency of amber suppression, 517
Sulston, J. (see also Schneider-Bernloehr, H.), 257
Superhelix formation in SV40 DNA, free energy, 419
Suppressor for amber gene *Su6*$^+$ specifies a leucyl-transfer RNA, 393
Świerkowski, M. & Shugar, D., Poly 5-ethyluridylic acid, a polyuridylic acid analogue, 57
Szent-Gyorgyi, A. G. (see also Cohen, C.), 605

T2 (see Bacteriophage)
T3 (see Bacteriophage)
T4 (see Bacteriophage)
T5 (see Bacteriophage)
Takagi, Y. (see also Sekiguchi, M.), 231
Tashiro, Y. (see also Matsuura, S.), 383
Template-directed synthesis, specificity with adenine nucleosides, 257
Thermal fractionation of the outer-fiber doublet microtubules into A- and B-subfiber components: A- and B-tubulin, 353
Thirion,J.-P. & Kaesberg, P., Base sequences of polypurine regions of the RNA's of bacteriophages R17 and M12, 193
Thomas, R. & Mousset, S., Passive replication of heteroimmune bacteriophage in a λ-driven replicon, 179
Tiboni, O., Parisi, B., Perani, A. & Ciferri, O., The presence of two sets of ribosome-specific transfer factors in the cell-free extracts from the non-photosynthetic alga *Prototheca zopfii*, 467
Tonato, M. (see also Prestayko, A. W.), 505
Transduction escape synthesis, role of *gal* repressor depletion in *λdg*, 121
Transfer RNA, for leucine specified by the amber suppressor gene *Su6*$^+$, 393
— — — serine, a structural gene for synthetase in *Escherichia coli* K12, 619
— — — tyrosine, duplicate genes in *Escherichia coli*, 1
— — — —, mutants, 15
Triose phosphate isomerase, changes in absorption spectrum and crystal structure brought about by 2-phosphoglycollate, 93
Ts-a-3T3 cells, isolation and characterization, 307
Tubulin, A- and B-, outer-fiber doublet microtubules thermally fractionated into A- and B-subfiber components, 353

Ultrastructure of the γM immunoglobulin molecule, 595
Ultraviolet-irradiated DNA, pyrimidine dimer excision by an extract of T4-infected cells, 231
—-sensitive strains of bacteriophage, inability to induce an enzyme activity to excise pyrimidine dimers, 243
Uridylic acid polymer analogue; poly 5-ethyluridylic acid, 57

Vesco, C. & Colombo, B., Effect of sodium fluoride on protein synthesis in HeLa cells; inhibition of ribosome dissociation, 335
Vinograd, J. (see also Bauer, W.), 419
— (see also Clayton, D. A.), 137
Virus, polyoma, light satellite-band DNA in infected mouse cells, 101
—, —, thermosensitive mutant, induction of virus multiplication in 3T3 cells, 307
—, Sindbis, carbohydrate content of the membrane protein, 437
—, —, glycopeptides of the membrane glycoprotein, 449
Vogt, M., Induction of virus multiplication in 3T3 cells transformed by a thermosensitive mutant of polyoma virus. I. Isolation and characterization of Ts-a-3T3 cells, 307
— (see also Cuzin, F.), 317

Warner, R. C. (see also Gordon, C. N.), 495
Weinberg, R. A. & Penman, S., Processing of 45 s nucleolar RNA, 169
Wilhelm, R. C. (see also Hoffman, E.), 619
Wilkie, D., Selective inhibition of mitochondrial synthesis in *Saccharomyces cerevisiae by* canavanine, 107
Wolfenden, R. (see also Johnson, L. N.), 93
Wyman, J. (see also Anderson, N. M.), 205

X-ray diffraction studies of phase transitions in the membrane of *Mycoplasma laidlawii*, 115

Yasuda, S. & Sekiguchi, M., Mechanism of repair of DNA in bacteriophage. II. Inability of ultraviolet-sensitive strains of bacteriophage in inducing an enzyme activity to excise pyrimidine dimers, 243
Yasuda, S. (see also Sekiguchi, M.). 231
Yoshikawa, H., Initiation of DNA replication in *Bacillus subtilis*. II. Linkage between termini of parental strands and origins of daughter strands, 403